PLOT PLAN 1" = APPROX. 100'



SOIL CLASS: 63B, 313A
SOURCE: USDA-SCS SOIL SURVEY

BENCH MARKS:
#1 TOP OF LARGE ROCK AT ROAD ELEV 71.37
#2 NAIL SET IN POLE #13/16 ELEV 70.4

DESIGN INTENT:
BED BOTTOM TO BE PLACED NO LESS THAN 0.3' ABOVE EXISTING GRADE, UPSLOPE SIDE.

SUITABLE REPLACEMENT AREA:
IN PLACE OR REDESIGN

KEY:
- _____ EXISTING CONTOUR
- - - - - - - - - - PROPOSED CONTOUR
- 100.0 EXISTING SPOT ELEVATION
- (100.0) PROPOSED SPOT ELEVATION

(PROPOSED GRADING SHOWN ONLY AS IT PERTAINS TO SEPTIC SYSTEM DESIGN)

NOTES:
1. SUBDIVISION APPROVAL #16970
2. THIS SYSTEM IS NOT DESIGNED TO HANDLE GARBAGE DISPOSAL WASTE.

LOCUS MAP NO SCALE





CROSS SECTION — NO SCALE



PLAN — 1" = 20'



LOT AREA
2.65 ACRES±
(SEE PLOT PLAN)

NOTE: ANY FUTURE RUN-OFF FED INTO DRAINAGE EASEMENT MUST BE PIPED ALONG LOT LINE WITHIN 75' OF PROPOSED FIELD.

TOWN INSPECTOR: JOE MAY

TEST PIT DATA DATE: 9/20/84



PERC TEST DATE: 9/20/84

DEPTH OF HOLE: 30"
RATE OF PERC: 6 MIN/IN
DESIGN LOADING: 4 BEDROOMS
AREA REQUIRED: 900 SQ. FT.
PROPOSED SYSTEM: 25 × 40 FOR 1,000 SQ. FT. AREA PROVIDED

REVISED
PLAN OF PROPOSED
SEPTIC SYSTEM

LOCUS: LOT 55-14 FERN AVENUE
RYE, N.H.
SEE APPROVAL #115829
OWNER: ROBERT V. & DIANNE HIGGINS
120 FERN AVE
RYE, NH. 03870

APPLICANT: ANNE W. BIALOBRZESKI
247 LANDING ROAD
HAMPTON, N.H. 03842
DESIGNER PERMIT #348

NEW HAMPSHIRE Designer of Subsurface Disposal Systems Ann W. Bialobrzeski No. 348 Water Supply & Pollution Control

DATE: 10/24/84
APPROVAL: 115829

17